L Number	Hits	Search Text	DB	Time stame
1·	86529	370/\$.ccls. or 707/\$.ccls.	USPAT;	Time stamp 2004/02/27 07:38
1 ' '	55523	01 5/4.0010. OI 10114.0010.	US-PGPUB;	2004/02/27 07:38
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	235	(370/\$.ccls. or 707/\$.ccls.) and search\$5 with (control\$5 near5	USPAT:	2004/02/27 07:39
	Ì	block)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
3	97	(370/\$.ccls. or 707/\$.ccls.) and search\$5 with (control\$5 near	USPAT;	2004/02/27 08:46
	1	block)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
4	18	((370/\$.ccls. or 707/\$.ccls.) and search\$5 with (control\$5 near	IBM_TDB USPAT;	2004/02/27 09:44
	'0	block)) and (search\$5 same tree) and leaf and bit	US-PGPUB;	2004/02/27 08:41
		blooky) and (scarongs same tree) and lear and bit	EPO; JPO;	
			DERWENT:	
	İ		IBM TDB	
5	0	(370/\$.ccls. or 707/\$.ccls.) and bird same match\$4 same key	USPAT;	2004/02/27 07:47
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	2001/02/21 07:41
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
6	11	(370/\$.ccls. or 707/\$.ccls.) and bird same key	USPAT;	2004/02/27 07:57
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
7	24	/!!E4000E0!! !!E7E4000!! !!E000400!! !!E070070!!	IBM_TDB	
1	24	("5490258" or "5754938" or "5860136" or "5873078" or "5917821" or "5946679" or "5995971" or "6034958" or	USPAT;	2004/02/27 08:03
		"6052683" or "6490592" or "6546391" or "6553002").pn.	US-PGPUB;	1
		0002000 01 0490092 01 0040091 01 0003002").pn.	EPO; JPO;	
			DERWENT; IBM_TDB	
8	14	(("5490258" or "5754938" or "5860136" or "5873078" or	USPAT;	2004/02/27 08:46
		"5917821" or "5946679" or "5995971" or "6034958" or	US-PGPUB;	2004/02/21 00.40
		"6052683" or "6490592" or "6546391" or "6553002").pn.) and	EPO; JPO;	
		(partial or part or pointer)	DERWENT;	
,			IBM TDB	
10	8	((("5490258" or "5754938" or "5860136" or "5873078" or	USPAT;	2004/02/27 08:41
		"5917821" or "5946679" or "5995971" or "6034958" or	US-PGPUB;	
		"6052683" or "6490592" or "6546391" or "6553002").pn.) and	EPO; JPO;	
		(partial or part or pointer)) and (search\$5 same tree) and leaf	DERWENT;	
9		///"E400259" on "E754020" "5000400" - "50000400"	IBM_TDB	
-	8	((("5490258" or "5754938" or "5860136" or "5873078" or	USPAT;	2004/02/27 08:46
		"5917821" or "5946679" or "5995971" or "6034958" or "6052683" or "6490592" or "6546391" or "6553002").pn.) and	US-PGPUB;	
		(partial or part or pointer)) and (search\$5 same tree) and leaf	EPO; JPO;	
		and bit	DERWENT; IBM TDB	
11	4	(((("5490258" or "5754938" or "5860136" or "5873078" or	USPAT;	2004/02/27 08:43
		"5917821" or "5946679" or "5995971" or "6034958" or	US-PGPUB;	2004/02/2/ 00:43
		"6052683" or "6490592" or "6546391" or "6553002").pn.) and	EPO; JPO;	
		(partial or part or pointer)) and (search\$5 same tree) and leaf	DERWENT:	
	ŀ	and bit) and match\$4 same (input\$6 or key)	IBM_TDB	
12	4	(((("5490258" or "5754938" or "5860136" or "5873078" or	USPAT;	2004/02/27 08:45
]]		"5917821" or "5946679" or "5995971" or "6034958" or	US-PGPUB:	
		"6052683" or "6490592" or "6546391" or "6553002").pn.) and	EPO; JPO;	
		(partial or part or pointer)) and (search\$5 same tree) and leaf	DERWENT;	
1,2	0000	and bit) and match\$4 same (input\$6 or key or pattern)	IBM_TDB	
13	8992	(370/\$.ccls. or 707/\$.ccls.) and match\$4 same (input\$6 or key	USPAT;	2004/02/27 08:49
		or pattern)	US-PGPUB;	
			EPO; JPO;	
[]		İ	DERWENT;	
L			IBM_TDB	

				
14	7662	((370/\$.ccls. or 707/\$.ccls.) and match\$4 same (input\$6 or key	USPAT;	2004/02/27 08:46
``a		or pattern)) and (partial or part or pointer)	US-PGPUB;	
			EPO; JPO;	
		·	DERWENT;	
15	245	///270/6 colo on 707/6 colo) and make 64 cons //www.460 co	IBM_TDB	0004/00/07 00 40
15	245	(((370/\$.ccls. or 707/\$.ccls.) and match\$4 same (input\$6 or	USPAT;	2004/02/27 08:49
		key or pattern)) and (partial or part or pointer)) and (search\$5 same tree) and leaf and bit	US-PGPUB;	
		same tree) and lear and bit	EPO; JPO; DERWENT;	
			IBM TDB	
16 `	10	(((((370/\$.ccls. or 707/\$.ccls.) and match\$4 same (input\$6 or	USPAT;	2004/02/27 08:46
10	'0	key or pattern)) and (partial or part or pointer)) and (search\$5	US-PGPUB;	2004/02/27 08:46
		same tree) and leaf and bit) and search\$5 with (control\$5 adj	EPO; JPO;	
		block)	DERWENT;	
		blocky	IBM_TDB	
17	17	(((((370/\$.ccls. or 707/\$.ccls.) and match\$4 same (input\$6 or	USPAT;	2004/02/27 08:48
' '	1 ''	key or pattern)) and (partial or part or pointer)) and (search\$5	US-PGPUB;	2004/02/2/ 00.40
		same tree) and leaf and bit) and (search\$5 or retriev\$5 or	EPO; JPO;	
		extract\$6) same (control\$5 adj block)	DERWENT:	
		ontacted carrie (controlled auf block)	IBM_TDB	
18	21	(((((370/\$.ccls. or 707/\$.ccls.) and match\$4 same (input\$6 or	USPAT:	2004/02/27 08:48
		key or pattern)) and (partial or part or pointer)) and (search\$5	US-PGPUB;	2004/02/2/ 00.40
		same tree) and leaf and bit) and (search\$5 or retriev\$5 or	EPO; JPO;	
		extract\$6) and (control\$5 adj block)	DERWENT;	
			IBM TDB	
19	147	(((370/\$.ccls. or 707/\$.ccls.) and match\$4 same (input\$6 or	USPAT:	2004/02/27 08:49
		key or pattern)) and (partial or part or pointer)) and (search\$5	US-PGPUB;	
		same tree same leaf) and bit	EPO; JPO;	
		,	DERWENT:	
			IBM_TDB	
20	73	(((((370/\$.ccls. or 707/\$.ccls.) and match\$4 same (input\$6 or	USPAT;	2004/02/27 08:53
		key or pattern)) and (partial or part or pointer)) and (search\$5	US-PGPUB;	
		same tree same leaf) and bit) and match\$4 same ((input\$6 or	EPO; JPO;	
		key or pattern) with bit)	DERWENT;	
			IBM_TDB	
21	4	(370/\$.ccls. or 707/\$.ccls.) and (very adj large adj key)	USPAT;	2004/02/27 08:51
			US-PGPUB;	
			EPO; JPO;	
!			DERWENT;	
			IBM_TDB	
22	19	((((((370/\$.ccls. or 707/\$.ccls.) and match\$4 same (input\$6 or	USPAT;	2004/02/27 08:53
		key or pattern)) and (partial or part or pointer)) and (search\$5	US-PGPUB;	
		same tree same leaf) and bit) and match\$4 same ((input\$6 or	EPO; JPO;	
		key or pattern) with bit)) and network near address\$4	DERWENT;	
	<u> </u>	1597	IBM_TDB	

L Number	Hits	Search Text	DB ·	Time stamp
17.,	86529	370/\$.ccls. or 707/\$.ccls.	USPAT;	2004/02/27 07:38
i			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	235	(370/\$.ccls. or 707/\$.ccls.) and search\$5 with (control\$5 near5	USPAT;	2004/02/27 07:39
		block)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
3	97	(370/\$.ccls. or 707/\$.ccls.) and search\$5 with (control\$5 near	IBM_TDB USPAT;	2004/02/27 00:40
"	31	(370)4.ccis. or 707/4.ccis.) and searches with (controls hear	US-PGPUB:	2004/02/27 08:46
		Biodky	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
4	18	((370/\$.ccls. or 707/\$.ccls.) and search\$5 with (control\$5 near	USPAT;	2004/02/27 08:41
		block)) and (search\$5 same tree) and leaf and bit	US-PGPUB;	200 1/02/27 00.41
		in the control of the	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
5	0	(370/\$.ccls. or 707/\$.ccls.) and bird same match\$4 same key	USPAT;	2004/02/27 07:47
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	4.4	(070/0) 707/0))	IBM_TDB	
6	11	(370/\$.ccls. or 707/\$.ccls.) and bird same key	USPAT;	2004/02/27 07:57
			US-PGPUB;	
		•	EPO; JPO;	
			DERWENT;	
7	24	("5490258" or "5754938" or "5860136" or "5873078" or	IBM_TDB USPAT;	2004/02/27 08:03
'	4 -7	"5917821" or "5946679" or "5995971" or "6034958" or	US-PGPUB;	2004/02/27 06.03
		"6052683" or "6490592" or "6546391" or "6553002").pn.	EPO; JPO;	
			DERWENT;	
1		· ·	IBM_TDB	
8	14	(("5490258" or "5754938" or "5860136" or "5873078" or	USPAT;	2004/02/27 08:46
l i		"5917821" or "5946679" or "5995971" or "6034958" or	US-PGPUB;	
		"6052683" or "6490592" or "6546391" or "6553002").pn.) and	EPO; JPO;	
		(partial or part or pointer)	DERWENT;	
	_		IBM_TDB	
10	8	((("5490258" or "5754938" or "5860136" or "5873078" or	USPAT;	2004/02/27 08:41
		"5917821" or "5946679" or "5995971" or "6034958" or	US-PGPUB;	
1		"6052683" or "6490592" or "6546391" or "6553002").pn.) and	EPO; JPO;	
		(partial or part or pointer)) and (search\$5 same tree) and leaf	DERWENT;	
9	8	((("5490258" or "5754938" or "5860136" or "5873078" or	IBM_TDB USPAT;	2004/02/27 08:46
	3	"5917821" or "5946679" or "5995971" or "6034958" or	US-PGPUB;	2004/02/27 08:46
		"6052683" or "6490592" or "6546391" or "6553002").pn.) and	EPO; JPO;	
		(partial or part or pointer)) and (search\$5 same tree) and leaf	DERWENT:	
		and bit	IBM TDB	
11	4	(((("5490258" or "5754938" or "5860136" or "5873078" or	USPAT;	2004/02/27 08:43
]		"5917821" or "5946679" or "5995971" or "6034958" or	US-PGPUB;	
		"6052683" or "6490592" or "6546391" or "6553002").pn.) and	EPO; JPO;	
		(partial or part or pointer)) and (search\$5 same tree) and leaf	DERWENT;	
		and bit) and match\$4 same (input\$6 or key)	IBM_TDB	
12	4	(((("5490258" or "5754938" or "5860136" or "5873078" or	USPAT;	2004/02/27 08:45
		"5917821" or "5946679" or "5995971" or "6034958" or	US-PGPUB;	1
		"6052683" or "6490592" or "6546391" or "6553002").pn.) and	EPO; JPO;	
		(partial or part or pointer)) and (search\$5 same tree) and leaf	DERWENT;	
13	8992	and bit) and match\$4 same (input\$6 or key or pattern)	IBM_TDB	0004/00/07 55 15
13	0992	(370/\$.ccls. or 707/\$.ccls.) and match\$4 same (input\$6 or key or pattern)	USPAT;	2004/02/27 08:46
		or pattern)	US-PGPUB;	
			EPO; JPO; DERWENT;	
	l		IBM TDB	
L			I IDIVI_I I DB	L

14	7662	((370/\$.ccls. or 707/\$.ccls.) and match\$4 same (input\$6 or key	USPAT;	2004/02/27 08:46
· ` •		or pattern)) and (partial or part or pointer)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		,	IBM_TDB	
15	245	(((370/\$.ccls. or 707/\$.ccls.) and match\$4 same (input\$6 or	USPAT;	2004/02/27 08:46
		key or pattern)) and (partial or part or pointer)) and (search\$5	US-PGPUB;	
		same tree) and leaf and bit	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
16	10	(((((370/\$.ccls. or 707/\$.ccls.) and match\$4 same (input\$6 or	USPAT;	2004/02/27 08:46
		key or pattern)) and (partial or part or pointer)) and (search\$5	US-PGPUB;	
		same tree) and leaf and bit) and search\$5 with (control\$5 adj	EPO; JPO;	
		block)	DERWENT;	
			IBM_TDB	
17	17	(((((370/\$.ccls. or 707/\$.ccls.) and match\$4 same (input\$6 or	USPAT;	2004/02/27 08:48
		key or pattern)) and (partial or part or pointer)) and (search\$5	US-PGPUB;	
		same tree) and leaf and bit) and (search\$5 or retriev\$5 or	EPO; JPO;	
	ļ	extract\$6) same (control\$5 adj block)	DERWENT;	
		•	IBM TDB	
18	21	(((((370/\$.ccls. or 707/\$.ccls.) and match\$4 same (input\$6 or	USPAT;	2004/02/27 08:48
		key or pattern)) and (partial or part or pointer)) and (search\$5	US-PGPUB;	
		same tree) and leaf and bit) and (search\$5 or retriev\$5 or	EPO; JPO;	,
		extract\$6) and (control\$5 adj block)	DERWENT;	
			IBM TDB	